

## Subject Index for Volume 32, 2019

- Additives; 32(1): 50-57.
- Adenoma; 32(4):298-311
- Allele frequencies; 32(2): 90-99.
- Alternative feed; 32(4):285-297
- Angus; 32(3): 192-200.
- Animal breeding; 32(2): 107-116.
- Animal feeding; 32(1): 50-57.
- Antioxidant capacity; 32(4): 261-273
- Apoptosis; 32(1): 3-13
- Aquaculture; 32(2): 139-149.
- Aquaculture; 32(3): 201-213.
- Aquaculture; 32(4):285-297
- Aquiculture; 32(3): 201-213.
- Aquiculture; 32(4):285-297
- Archontophoenix alexandrae; 32(1): 64-70.
- Assisted reproduction; 32(3): 214-220.
- Assisted selection; 32(3): 201-213.
- Bacterial diversity; 32(4):248-260
- Bayesian; 32(3): 192-200.
- Beef cattle; 32(1): 4-20.
- Biomarkers; 32(3): 232-244.
- Blood traits; 32(3): 184-191.
- Breeding goal; 32(2): 81-89.
- Broiler; 32(3): 184-191.
- Brycon orbignyanus; 32(2): 139-149.
- Byproduct; 32(1): 64-70.
- Caffeine; 32(4):261-273
- Candida parapsilosis; 32(3): 221-231.
- Canine; 32(4):298-311
- Carbamate; 32(3): 232-244.
- Casein; 32(2): 107-116.
- Cattle reproduction; 32(1): 43-49.
- Cattle; 32(3): 175-183.
- Cattle; 32(3): 192-200.
- CD3; 32(1): 3-13
- Cellulolytic; 32(2): 117-125.
- Clay; 32(4):274-284
- Cloning; 32(1): 34-42.
- Coffee pulp; 32(4):261-273
- Commercial cuts; 32(1): 21-33.
- Correlation; 32(2): 81-89.
- Coturnix coturnix japonica; 32(4):274-284
- Crabs; 32(2): 150-157.
- Crop byproduct; 32(1): 50-57.
- Cryobiology; 32(1): 43-49.
- Cryoinjury; 32(1): 43-49.
- Cryotolerance; 32(1): 43-49.
- Cynodon spp; 32(4):248-260
- Dairy cattle; 32(2): 100-106.
- Dairy cows; 32(3): 166-174.
- Diet supplementation; 32(4):285-297
- Digestión; 32(2): 126-138.

- Discard fruit; 32(1): 50-57.
- Dog; 32(4):298-311
- Ecotoxicology; 32(3): 232-244.
- Egg quality; 32(4):274-284
- Embryo collection; 32(3): 214-220.
- Embryo recipients; 32(3): 214-220.
- Embryo surplus; 32(1): 43-49.
- Embryo transfer; 32(1): 43-49.
- Embryo transfer; 32(3): 214-220.
- Embryo; 32(3): 214-220.
- Energy; 32(2): 293-309.
- Enzyme; 32(4):285-297
- Epigenetics; 32(1): 34-42.
- Equus caballus; 32(3): 214-220.
- Estrous synchronization; 32(3): 214-220.
- Estrus synchronization; 32(4): 261-273
- Ewes; 32(4):261-273
- Extinction risk; 32(1): 58-63.
- Eye globe; 32(4):298-311
- Eyelid; 32(4):298-311
- Eye-related neoplasms; 32(4):298-311
- Fat content; 32(1): 21-33.
- Feed additive; 32(4):274-284
- Feed efficiency; 32(1): 4-20.
- Feed enzymes; 32(3): 184-191.
- Fermentation; 32(1): 64-70.
- Fermentation; 32(2): 117-125.
- Fertility; 32(2): 81-89.
- Fertility; 32(4):261-273
- Fiber content; 32(1): 50-57.
- Firmicutes; 32(4):248-260
- Fish nutrition; 32(4):285-297
- Fish; 32(1): 3-13
- Fish; 32(3): 201-213.
- Fish; 32(3): 232-244.
- Fisheries; 32(3): 201-213.
- Forage conservation; 32(1): 50-57.
- Forage; 32(1): 64-70.
- Gene expression; 32(3): 221-231.
- Genetic conservation; 32(2): 139-149.
- Genetic diversity; 32(3): 201-213.
- Genetic parameters; 32(3): 192-200.
- Genetic trend; 32(1): 58-63.
- Genetic trends; 32(3): 192-200.
- Genetic variability; 32(3): 192-200.
- Genetic variation; 32(2): 107-116.
- Growth hormone; 32(2): 107-116.
- Growth performance; 32(3): 184-191.
- Heat stress; 32(3): 184-191.
- Heritability; 32(1): 58-63.
- Heritability; 32(2): 100-106.
- Heritability; 32(2): 81-89.
- Heritability; 32(3): 192-200.
- Heterozygosity; 32(2): 90-99.

- Immune system; 32(3): 221-231.
- Immunostimulant; 32(1): 3-13
- Inbreeding; 32(2): 90-99.
- Intestinal morphology; 32(4):274-284
- Intestinal villi; 32(4):274-284
- Invasive species; 32(2): 150-157.
- Japanese quail; 32(4):274-284
- Kaolin; 32(4):274-284
- Lactation curve; 32(2): 100-106.
- L-carnitine; 32(3): 166-174.
- Lentiviral transduction; 32(1): 34-42.
- Lipid metabolism; 32(3): 166-174.
- Lipid metabolism; 32(3): 175-183.
- Lipid peroxidation; 32(3): 232-244.
- Lipid profile; 32(3): 175-183.
- Lipidosis; 32(3): 166-174.
- Lipofection; 32(1): 34-42.
- Lipoperoxidation; 32(4):385-401
- Lipotropic factors; 32(3): 166-174.
- Litopenaeus vannamei; 32(3): 221-231.
- Lymphoid organs; 32(3): 184-191.
- Mangalarga Marchador; 32(3): 214-220.
- Mare; 32(3): 214-220.
- Meat breeds; 32(1): 21-33.
- Meibomian gland; 32(4):298-311
- Metabolic disorders; 32(3): 166-174.
- Microalgae; 32(1): 3-13
- Microbial protein; 32(2): 126-138.
- Microsatellite markers; 32(2): 90-99.
- Microsatellites; 32(2): 139-149.
- Milk production; 32(2): 107-116.
- Milk yield; 32(2): 100-106.
- Molecular markers; 32(3): 201-213.
- Monophyletic; 32(2): 117-125.
- Multivariate factor analysis; 32(3): 175-183.
- Multivariate statistics; 32(3): 175-183.
- Nellore; 32(4):248-260
- Neostrengeria macropa; 32(2): 150-157.
- New generation sequencing; 32(4):248-260
- Nuclear reprogramming; 32(1): 34-42.
- Nutrient absorption; 32(4):274-284
- Nutrition; 32(4):274-284
- Ocular neoplasia; 32(4):298-311
- Oocyte; 32(2): 90-99.
- Organic acid; 32(1): 64-70.
- Ovines; 32(1): 21-33.
- Oxidative stress; 32(4):261-273
- Pedigree; 32(3): 192-200.
- Pediococcus parvulus; 32(3): 221-231.
- Performance; 32(4):274-284
- Peripartum; 32(3): 166-174.
- Persistency; 32(2): 100-106.
- Pesticide; 32(3): 232-244.
- pH; 32(1): 64-70.
- Phenotypic selection; 32(1): 58-63.
- Physically effective fiber; 32(2): 126-138.

- Phytase; 32(4):285-297
- Procambarus clarkii; 32(2): 150-157.
- Productive performance; 32(4):285-297
- Prolificacy; 32(1): 58-63.
- RAPD; 32(2): 139-149.
- Repeatability; 32(2): 100-106.
- Reproductive parameters; 32(4): 261-273
- Reproductive traits; 32(3): 192-200.
- Residual feed intake; 32(1): 4-20.
- Rhamdia quelen; 32(4):285-297
- Romosinuano cattle; 32(4):
- Rumen microorganisms; 32(4): 248-260
- Rumen; 32(2): 117-125.
- Rumen; 32(2): 126-138.
- Ruminal bacteria; 32(4):248-260
- Ruminal fluid; 32(3): 175-183.
- Ruminant; 32(3): 175-183.
- Ruminant; 32(4):248-260
- Santa Ines; 32(1): 21-33.
- Sheep; 32(4): 261-273
- Shigella; 32(2): 117-125.
- Shrimp; 32(3): 221-231.
- Silver catfish; 32(4):285-297
- Single nucleotide polymorphism; 32(1): 4-20.
- Sire; 32(3): 192-200.
- Slaughter age; 32(1): 21-33.
- SNP; 32(2): 107-116.
- Spirulina; 32(1): 3-13
- Steers; 32(4):248-260
- Stock management; 32(3): 201-213.
- Sunflower meal; 32(4):285-297
- Temperament; 32(1): 4-20.
- Tench; 32(3): 232-244.
- Tilapia; 32(3): 201-213.
- Trematode; 32(2): 150-157.
- Tumor; 32(4):298-311
- Unbranched fatty acids; 32(3): 175-183.
- White shrimp; 32(3): 221-231.
- Wood's gamma function; 32(2): 81-89.
- Xenobiotics; 32(3): 232-244.
- Zebu; 32(4):248-260
- $\beta$ -mannanase; 32(3): 184-191.